


HSIO 高速光口连接器

Features:

- All Products meet SFF or MSA specs
- There are OSFP, QSFP, SFP28, SFP+, SFP etc. options
- Supports 200G, 112G, 56G, 28G, 10G, 1G per LAN data rate
- Supports ganged (1xN) and stacked (2xN) configuration
- Supports EMI gaskets or springs for EMI containment
- Offers customized heat sink and light pipe options





类别 Category	布局 Configuration	图片 Picture	料号 Part Number	品名 Part Name	尺寸 Dimension (D*W*H) : mm	描述 Description
DSFP	1x8		160833-00131	DSFP 1x8-PF-B00 W-HS-LPA-GSTB	55.2*114.37*14.9	DSFP 1x8 笼子组件,压接式, 带散热器, 带导光柱,56Gbps速率 DSFP 1x8 Cage Assembly, Press fit, include heat sink, include light pipe, Data Rate 56Gbps
QSFP14	1x1		48001-00NXX1	QSFP14 1x1-A0 WITH HEAT SINK AND LIGHT PIPE	65.8*19.5*13.7	QSFP14 1x1 笼子组件,压接式, 带散热器, 带导光柱,40Gbps速率 QSFP14 1x1 Cage Assembly, Press fit, include heat sink, include light pipe, Data Rate 40Gbps
QSFP28	连接器 Connector		49091-00M311	QSFP28 1xN-S-A00 CONNECTOR	12.65*18.2*6.1	QSFP28 连接器, 100Gbps速率, 38Pin, 0.8mm Pin间距, 表贴式 QSFP28 Connector, Data Rate 100Gbps, 38 Circuits, 0.8mm pitch, Surface mount
	1x1		49027-00N011	QSFP28 1x1-L0	61.3*19.46*9.66	QSFP28 1x1 笼子组件, 压接式, 100Gbps速率 QSFP28 1x1 Cage Assembly, Press fit, Data Rate 100Gbps
			49003-00NXX1	QSFP28 1x1-C0	60.91*19.46*9.75	QSFP28 1x1 笼子组件, 压接式, 100Gbps速率 , 顶部下凹 QSFP28 1x1 Cage Assembly, Press fit, Data Rate 100Gbps, Top sunken
			49044-00N011	QSFP28 1x1-P-A00 W-LPA	66.4*19.46*15.1	QSFP28 1x1 笼子组件, 压接式, 带导光柱, 100Gbps速率 QSFP28 1x1 Cage Assembly, Press fit, include light pipe, Data Rate 100Gbps
			49001-00N011	QSFP28 1x1-A0 WITH HEAT SINK	61.16*19.46*16	QSFP28 1x1 笼子组件,压接式, 带散热器, 100Gbps速率 QSFP28 1x1 Cage Assembly, Press fit, include heat sink, Data Rate 100Gbps
			49017-00N011	QSFP28 1x1-J0 WITH HEAT SINK AND LIGHT PIPE	66.4*19.46*15.1	QSFP28 1x1 笼子组件,压接式, 带散热器, 带导光柱, 100Gbps速率 QSFP28 1x1 Cage Assembly, Press fit, include heat sink, include light pipe, Data Rate 100Gbps



类别 Category	布局 Configuration	图片 Picture	料号 Part Number	品名 Part Name	尺寸 Dimension (D*W*H) : mm	描述 Description
QSFP28	1x2		49037-01N011	QSFP28 1x2-P-A01	61.3*38.46*9.66	QSFP28 1x2 笼子组件, 压接式, 100Gbps速率 QSFP28 1x2 Cage Assembly, Press fit, Data Rate 100Gbps
			160987-00231	QSFP28 1x2-PF-G01 W-LPA	66.2*38.46*13.79	QSFP28 1x2 笼子组件, 压接式, 带导光柱, 100Gbps速率 QSFP28 1x2 Cage Assembly, Press fit, include light pipe, Data Rate 100Gbps
			49008-00N011	QSFP28 1x2-B0 WITH HEAT SINK	61.3*38.46*12.1	QSFP28 1x2 笼子组件,压接式, 带散热器, 100Gbps速率 QSFP28 1x2 Cage Assembly, Press fit, include heat sink, Data Rate 100Gbps
			49057-01N011	QSFP28 1x2-P-D01 W-HS-LPB	67.9*38.46*15.15	QSFP28 1x2 笼子组件,压接式, 带散热器, 带导光柱, 100Gbps速率 QSFP28 1x2 Cage Assembly, Press fit, include heat sink, include light pipe, Data Rate 100Gbps
	1x3		161577-00131	QSFP28 1x3-PF-C00 W-HS	61.7:*57.45*15.15	QSFP28 1x3 笼子组件,压接式, 带散热器, 100Gbps速率 QSFP28 1x3 Cage Assembly, Press fit, include heat sink, Data Rate 100Gbps
			49009-01N011	QSFP28 1x3-A1 WITH HEAT SINK AND LIGHT PIPE	67.9:*57.45*15.15	QSFP28 1x3 笼子组件,压接式, 带散热器, 带导光柱, 100Gbps速率 QSFP28 1x3 Cage Assembly, Press fit, include heat sink, include light pipe, Data Rate 100Gbps
	1x4		160897-00131	QSFP28 1x4-PF-D00	61.66*76.46*9.75	QSFP28 1x4 笼子组件, 压接式, 100Gbps速率 QSFP28 1x4 Cage Assembly, Press fit, Data Rate 100Gbps
			160077-00631	QSFP28 1x4-B9 WITH LIGHT PIPE	67.9*76.5*15.10	QSFP28 1x4 笼子组件, 压接式, 带导光柱, 100Gbps速率 QSFP28 1x4 Cage Assembly, Press fit, include light pipe, Data Rate 100Gbps



类别 Category	布局 Configuration	图片 Picture	料号 Part Number	品名 Part Name	尺寸 Dimension (D*W*H) : mm	描述 Description
QSFP28	1x4		49028-01N011	QSFP28 1x4-E0 WITH HEAT SINK	61.3*76.46*13.50	QSFP28 1x4 笼子组件,压接式, 带散热器, 100Gbps速率 QSFP28 1x4 Cage Assembly, Press fit, include heat sink, Data Rate 100Gbps
			49007-00N011	QSFP28 1x4-B0 WITH HEAT SINK AND LIGHT PIPE	67.9*76.46*15.15	QSFP28 1x4 笼子组件,压接式, 带散热器, 带导 光柱, 100Gbps速率 QSFP28 1x4 Cage Assembly, Press fit, include heat sink, include light pipe, Data Rate 100Gbps
	2x1		49012-00M311	QSFP28 2x1-A1 WITH OUTER LIGHT PIPE	72.86*19.8*25.4	QSFP28 带集成连接器笼子组件, 100Gbps速 率,2x1堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, Data Rate 100Gbps, 2x1, Press fit
			49036-00M311	QSFP28 2x1-P-A00	73.24*19.8*25.4	QSFP28 带集成连接器笼子组件, 100Gbps速 率, 2x1堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, Data Rate 100Gbps, 2x1, Press fit
			49047-02M311	QSFP28 2x1-P- D02 W-LPB	73.24*19.46*25.4	QSFP28 带集成连接器笼子组件, 带导光柱, 100Gbps速率, 2x1堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include light pipe, Data Rate 100Gbps, 2x1, Press fit
			160257-00311	QSFP28 2x1- A2 W-HS	73.4*19.5*29.87	QSFP28 带集成连接器笼子组件, 带散热器, 100Gbps速率, 2x1堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include heat sink, Data Rate 100Gbps, 2x1, Press fit
			49029-00M311	QSFP28 2x1-A0 WITH HEAT SINK OUTER AND INNER LIGHT PIPE	73.4*19.5*25.1	QSFP28 带集成连接器笼子组件, 带散热器, 带导光柱, 100Gbps速率, 2x1堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include heat sink, include light pipe, Data Rate 100Gbps, 2x1, Press fit
			49054-01M311	QSFP28 2x1-PF- E02 W-HS-LPB	80.4*19.25*32.95	QSFP28 带集成连接器笼子组件, 带散热器, 带导光柱, 100Gbps速率, 2x1堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include heat sink, include light pipe, Data Rate 100Gbps, 2x1, Press fit



类别 Category	布局 Configuration	图片 Picture	料号 Part Number	品名 Part Name	尺寸 Dimension (D*W*H) : mm	描述 Description
QSFP28	2x2		49039-00M311	QSFP28 2x2-P-A01	73.4*38.25*25.4	QSFP28 带集成连接器笼子组件, 100Gbps速率, 2x2堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, Data Rate 100Gbps, 2x2, Press fit
			49021-00M311	QSFP28 2x2-A0 WITH OUTER LIGHT PIPE	73.4*38.8*25.4	QSFP28 带集成连接器笼子组件, 带导光柱, 100Gbps速率, 2x2堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include light pipe, Data Rate 100Gbps, 2x2, Press fit
			49043-02M311	QSFP28 2x2-P-C02 W-HS	73.4*38.25*xx	QSFP28 带集成连接器笼子组件, 带散热器, 100Gbps速率, 2x2堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include heat sink, Data Rate 100Gbps, 2x2, Press fit
			49030-00M311	QSFP28 2x2-A0 WITH HEAT SINK OUTER AND INNER LIGHT PIPE	73.4*38.5*29.9	QSFP28 带集成连接器笼子组件, 带散热器, 带导光柱, 100Gbps速率, 2x2堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include heat sink, include light pipe, Data Rate 100Gbps, 2x2, Press fit
			160357-00111	QSFP56 2x2-PF-F00 W-HS-LPB	80.43*38.25*28.8	QSFP28 带集成连接器笼子组件, 带散热器, 带导光柱, 100Gbps速率, 2x2堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include heat sink, include light pipe, Data Rate 100Gbps, 2x2, Press fit
	2x3		49031-01M311	QSFP28 2x3-A1	73*57.25*24.9	QSFP28 带集成连接器笼子组件, 100Gbps速率, 2x3堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, Data Rate 100Gbps, 2x3, Press fit
			49031-00M311	QSFP28 2x3-A0 OUTER AND INNER LIGHT PIPE	73.4*57.5*25.4	QSFP28 带集成连接器笼子组件, 带导光柱, 100Gbps速率, 2x3堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include light pipe, Data Rate 100Gbps, 2x3, Press fit
			49067-00M311	QSFP28 2x3-P-B00 W-HS	73*57.25*27.9	QSFP28 带集成连接器笼子组件, 带散热器, 100Gbps速率, 2x3堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include heat sink, Data Rate 100Gbps, 2x3, Press fit



类别 Category	布局 Configuration	图片 Picture	料号 Part Number	品名 Part Name	尺寸 Dimension (D*W*H) : mm	描述 Description
QSFP28	2x3		49067-01M311	QSFP28 2x3-P-B01 W-HS-LPC	73*57.25*27.9	QSFP28 带集成连接器笼子组件, 带散热器, 带导光柱, 100Gbps速率, 2x3堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include heat sink, include light pipe, Data Rate 100Gbps, 2x3, Press fit
	2x6		49020-00M311	QSFP28 2x6-A1 WITH OUTER LIGHT PIPE	73.2*124.3*25.4	QSFP28 带集成连接器笼子组件, 带导光柱, 100Gbps速率, 2x6堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include light pipe, Data Rate 100Gbps, 2x6, Press fit
			49052-60M311	QSFP28 2x6-P-A0 W-HS	73.23*114.25*27.9	QSFP28 带集成连接器笼子组件, 带内置散热器, 100Gbps速率, 2x6堆叠式, 压接式 Stacked QSFP28 Cage Assembly with integrated connector, include heat sink inside, Data Rate 100Gbps, 2x6, Press fit
QSFP-DD	连接器 Connector		160537-00111	QSFP-DD 1xN-A2 CONNECTOR	23.95*18.45*7.9	QSFP-DD 连接器, 400Gbps速率, 76Pin, 0.8mm Pin间距, 表贴式 QSFP-DD Connector, Data Rate 400Gbps, 76 Circuits, 0.8mm pitch, Surface mount
	1x1		160437-00331	QSFP-DD 1x1-P-B05 W-HS	72.3*19.46*13.0	QSFP-DD 1x1 笼子组件,压接式, 带散热器, 400Gbps速率 QSFP-DD 1x1 Cage Assembly, Press fit, include heat sink, Data Rate 400Gbps
	1x2		161547-00131	QSFP-DD 1x2-PF-F00 W-HS-LPB	75.75*38.25*17.5	QSFP-DD 1x2 笼子组件,压接式, 带散热器, 带导光柱, 400Gbps速率 QSFP-DD 1x2 Cage Assembly, Press fit, include heat sink, include light pipe, Data Rate 400Gbps
	1x4		160857-00131	QSFP-DD 1x4-PF-B00 W-HS-LPB	86.23*76.25*16.1	QSFP-DD 1x4 笼子组件,压接式, 带散热器, 带导光柱, 400Gbps速率 QSFP-DD 1x4 Cage Assembly, Press fit, include heat sink, include light pipe, Data Rate 400Gbps
	2x1		160727-00511	QSFP-DD 2x1-PF-B03 W-HS	88.65*19.25*28.8	QSFP-DD 带集成连接器笼子组件, 带散热器, 400Gbps速率, 2x1堆叠式, 压接式 Stacked QSFP-DD Cage Assembly with integrated connector, include heat sink, Data Rate 400Gbps, 2x1, Press fit



类别 Category	布局 Configuration	图片 Picture	料号 Part Number	品名 Part Name	尺寸 Dimension (D*W*H) : mm	描述 Description
QSFP-DD	2x2		160547-00111	QSFP-DD 2x2-P-B00 W-HS	107.0*40.25*28.46	QSFP-DD 带集成连接器笼子组件, 带散热器, 400Gbps速率, 2x2堆叠式, 压接式 Stacked QSFP-DD Cage Assembly with integrated connector, include heat sink, Data Rate 400Gbps, 2x2, Press fit
QSFP112	1x1		161207-00111	QSFP112 1xN-SMT-Style A CONNECTOR-0.8Pitch-LL	14.65*18.2*6.1	QSFP112 连接器, 400Gbps速率, 38Pin, 0.8mm Pin间距, 表贴式 QSFP112 Connector, Data Rate 400Gbps, 38 Circuits, 0.8mm pitch, Surface mount
	1x1		161257-00111	QSFP112 1xN-SMT-A00 CONNECTOR-0.6Pitch-JL	12.75*18.2*6.0	QSFP112 连接器, 400Gbps速率, 38Pin, 0.6mm Pin间距, 表贴式 QSFP112 Connector, Data Rate 400Gbps, 38 Circuits, 0.6mm pitch, Surface mount
	1x1		161317-00201	QSFP112 1x1-PF-C01 W-HS	61.9*19.42*15.10	QSFP112 1x1 笼子组件,压接式, 带散热器, 400Gbps速率 QSFP112 1x1 Cage Assembly, Press fit, include heat sink, Data Rate 400Gbps
	1x2		161077-00131	QSFP112 1x2-PF-C00 W-HS	62.31*38.46*22.00	QSFP112 1x2 笼子组件,压接式, 带散热器, 400Gbps速率 QSFP112 1x2 Cage Assembly, Press fit, include heat sink, Data Rate 400Gbps
	2x1		160637-00111	QSFP112 2xN-SMT-A00 CONNECTOR-0.6Pitch	27.15*18.2*24.00	QSFP112 连接器, 400Gbps速率, 2x1堆叠式, 单个口52Pin, 0.6mm Pin间距, 表贴式 Stacked QSFP112 Connector, Data Rate 400Gbps, 52 Circuits per port, 0.6mm pitch, Surface mount
	2x1		161757-00101	QSFP112 2x1-PF-B00 W-HS-LPB	79.93*19.42*35.7	QSFP112 笼子组件, 带散热器, 带导光柱, 400Gbps速率, 2x1堆叠式, 压接式 Stacked QSFP112 Cage Assembly, include heat sink, include light pipe, Data Rate 400Gbps, 2x1, Press fit
	2x2		160627-00131	QSFP112 2X2-P-A00 W-HS-LPB	78.9*38.5*33.6	QSFP112 笼子组件, 带散热器, 带导光柱, 400Gbps速率, 2x2堆叠式, 压接式 Stacked QSFP112 Cage Assembly,include heat sink, include light pipe, Data Rate 400Gbps, 2x2, Press fit



类别 Category	布局 Configuration	图片 Picture	料号 Part Number	品名 Part Name	尺寸 Dimension (D*W*H) : mm	描述 Description
QSFP112	2x4		161677-00301	QSFP112 2X4-PF-C02 W-HS-LPB	79.95*77.5*34.3	QSFP112 笼子组件, 带散热器, 带导光柱, 400Gbps速率, 2x4堆叠式, 压接式 Stacked QSFP112 Cage Assembly, include heat sink, include light pipe, Data Rate 400Gbps, 2x4, Press fit
OSFP800	1x1		160082-00111	OSFP800 1xN-SMT-A00 CONNECTOR-0.6Pitch	14.95*21.55*8.45	OSFP800 连接器, 800Gbps速率, 60Pin, 0.6mm Pin间距, 表贴式 OSFP800 Connector, Data Rate 800Gbps, 60 Circuits, 0.6mm pitch, Surface mount
	1x1		160122-00101	OSFP 1x1-PF-A00	91.00*23.6*14.65	OSFP 1x1 笼子组件,压接式, 800Gbps速率 OSFP 1x1 Cage Assembly, Press fit, Data Rate 800Gbps
	2x1		160142-00111	OSPF800 2xN-SMT-A00 CONNECTOR-0.6Pitch	27.75*22.00*23.2	OSFP800 连接器, 800Gbps速率, 2x1堆叠式, 单个口60Pin, 0.6mm Pin间距, 表贴式 Stacked OSFP800 Connector, Data Rate 800Gbps, 60 Circuits per port, 0.6mm pitch, Surface mount
	2x1		160112-00101	OSFP 2x1-PF-A00 W-LPB	113.07*23.6*32.35	OSFP 笼子组件, 带导光柱, 800Gbps速率, 2x1堆叠式, 压接式 Stacked OSFP Cage Assembly, include light pipe, Data Rate 800Gbps, 2x1, Press fit
	2x4		160102-00101	OSFP 2x4-PF-A00 W-LPB	113.07*93.29*32.35	OSFP 笼子组件, 带导光柱, 800Gbps速率, 2x4堆叠式, 压接式 Stacked OSFP Cage Assembly, include light pipe, Data Rate 800Gbps, 2x4, Press fit
QSFP-DD800	2x1		161597-00101	QSFP-DD800 2x1-PF-A00 W-HS-CAGE	85.93*19.42*36.9	QSFP-DD800 笼子组件, 带散热器, 800Gbps速率, 2x1堆叠式, 压接式 Stacked QSFP-DD800 Cage Assembly, include heat sink, Data Rate 800Gbps, 2x1, Press fit